

Алматы (7273)495-231
Ангарск (3955)42-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-42
Белгород (4735)40-23-142
Благовещенск (4162)35-142-07
Брянск (4232)59-03-52
Владивосток (423)249-42-31
Владикавказ (8672)42-90-42
Владимир (4935) 49-43-18
Волгоград (844)278-03-42
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-142

Ижевск (3412)26-03-58
Иваново (4932)77-34-06
Иркутск (395)279-98-46
Казань (843)206-01-42
Калининград (4012)72-03-81
Калуга (4242)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-42
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (4352)50-90-47
Липецк (4742)52-20-81

Магнитогорск (4219)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-142-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)357-86-73
Ноябрьск (3496)41-32-12
Омск (3812)21-46-40
Орел (4262)44-53-42
Оренбург (4232)37-68-04
Пенза (8412)35-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-142
Самара (846)206-03-16
Саранск (8342)35-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)35-31-93
Симферополь (3652)67-13-56
Смоленск (4212)29-41-42
Сочи (862)242-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)42-95-17
Сургут (3462)77-98-42
Тамбов (4752)50-40-97

Тверь (4352)63-31-42
Тольятти (8435)63-91-07
Томск (3835)98-41-53
Тула (4272)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8435)24-23-59
Уфа (347)359-42-12
Хабаровск (4212)92-98-04
Чебоксары (8435)42-53-07
Челябинск (421)202-03-61
Череповец (8202)49-02-142
Чита (3035)38-34-83
Якутск (4112)23-90-97
Ярославль (4422)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://swt.nt-rt.ru> || saz@nt-rt.ru

Передние шины для тракторов с диагональю SW-99/200/201.

Технические характеристики

SW-99

Penetrates deep into soil for maximum steering control & minimal lateral side-slip because of its high center rib.Best for handling heavy loads on hard-packed surfaces.Offers excellent load distribution and flotation.Offers better durability and self cleaning.Sturdy and strong body plies for longer durability.Specially designed lugs for comfortable drive and added traction.Ideal for heavy duty prime movers.Provides excellent load distribution.Special version ensures extra puncture resistance.Specially designed to firm the soil around the seed.Extra deep ribs help to keep planter in line on hills.Field and road type for 2WD tractor.Cut and clip resistant and heavy duty service.On and off road type for 2WD tractor.Ensures better steering control on fields.

Displaying data for Pattern :- SW-99

Size	Pattern	Ply Rating	Rim Width	Type	Section Width		Overall Diameter		Static Loaded Radius		Rolling Circum		NSD		Load Capacity		Inflation Pressure		Load Index	Speed	
			inch		mm	inch	mm	inch	mm	inch	mm	inch	mm	32nds	Kg	Lbs	bar	psi		kmph	mph
5.00-12	SW-99	6	3.0	TT	140	5.5	580	22.8	270	10.6	1736	68.3	13	16	265	583	3.2	45	62	A6 / 30 kmph	A6 / 20 mph
5.00-15	SW-99	6	4.0	TT	140	5.5	655	25.8	305	12.0	1956	77.0	15	19	475	1045	3.7	54	82	A8 / 40 kmph	A8 / 25 mph
5.50-16	SW-99	6	4.0	TT	150	5.9	710	27.9	330	13.0	2083	82.0	13	16	425	935	3.8	54	70	A6 / 30 kmph	A6 / 20 kmph
6.00-16	SW-99	8	4.5	TT	165	6.5	745	29.3	356	14.0	2184	86.0	18	22	670	1474	4.4	64	94	A6 / 30 kmph	A6 / 20 kmph
7.50-20	SW-99	8	5.5	TT	203	8.0	920	36.2	432	17.0	2718	107.0	19	24	1030	2266	3.5	50	109	A8 / 40 kmph	A8 / 25 mph
7.50-20	SW-99	12	5.5	TT	203	8.0	920	36.2	432	17.0	2718	107.0	19	24	1320	2900	4.0	58	118	A6 / 30 kmph	A6 / 20 mph



SW-200

Penetrates deep into soil for maximum steering control & minimal lateral side-slip because of its high center rib.Best for handling heavy loads on hard-packed surfaces.Offers excellent load distribution and flotation.Offers better durability and self cleaning.Sturdy and strong body plies for longer durability.Specially designed lugs for comfortable drive and added traction.Ideal for heavy duty prime movers.Provides excellent load distribution.Special version ensures extra puncture resistance.Specially designed to firm the soil around the seed.Extra deep ribs help to keep planter in line on hills.Field and road type for 2WD tractor.Cut and clip resistant and heavy duty service.On and off road type for 2WD tractor.Ensures better steering control on fields.

Displaying data for Pattern :- SW-200

Size	Pattern	Ply Rating	Rim Width	Type	Section Width		Overall Diameter		Static Loaded Radius		Rolling Circum		NSD		Load Capacity		Inflation Pressure		Load Index	Speed	
			inch		mm	inch	mm	inch	mm	inch	mm	inch	mm	32nds	Kg	Lbs	bar	psi		kmph	mph
6.50-20	SW-200	8	4.5	TT	173	6.8	864	34.0	406	16.0	2565	101.0	14	17	850	1870	4.6	65	102	A6 / 30 kmph	A6 / 20 mph
6.50-20	SW-200	12	4.5	TT	173	6.8	864	34.0	406	16.0	2565	101.0	14	17	1120	2465	3.8	55	112	A8 / 40 kmph	A8 / 25 mph

SW-201



Penetrates deep into soil for maximum steering control & minimal lateral side-slip because of its high center rib. Best for handling heavy loads on hard-packed surfaces. Offers excellent load distribution and flotation. Offers better durability and self cleaning. Sturdy and strong body plies for longer durability. Specially designed lugs for comfortable drive and added traction. Ideal for heavy duty prime movers. Provides excellent load distribution. Special version ensures extra puncture resistance. Specially designed to firm the soil around the seed. Extra deep ribs help to keep planter in line on hills. Field and road type for 2WD tractor. Cut and clip resistant and heavy duty service. On and off road type for 2WD tractor. Ensures better steering control on fields.

Displaying data for Pattern :- SW-201

Size	Pattern	Ply Rating	Rim Width	Type	Section Width		Overall Diameter		Static Loaded Radius		Rolling Circum		NSD		Load Capacity		Inflation Pressure		Load Index	Speed	
			inch		mm	inch	mm	inch	mm	inch	mm	inch	mm	32nds	Kg	Lbs	bar	psi		kmph	mph
4.00-15	SW-201	4	3.0	TT	112	4.4	610	24.0	295	11.6	1854	73.0	13	16	307	675	3.7	54	67	A8 / 40 kmph	A8 / 25 mph
5.00-15	SW-201	4	3.0	TT	140	5.5	655	25.8	305	12.0	1956	77.0	15	19	365	803	3.7	54	73	A8 / 40 kmph	A8 / 25 mph
4.00-16	SW-201	4	3.0	TT	112	4.4	640	25.2	305	12.0	1956	77.0	11	14	325	715	3.3	48	69	A6 / 30 kmph	A6 / 20 mph
4.50-16	SW-201	6	3.0	TT	122	4.8	665	26.2	305	12.0	1956	77.0	11	14	335	737	3.3	48	70	A6 / 30 kmph	A6 / 20 mph
5.00-16	SW-201	6	4.0	TT	140	5.5	680	26.8	330	13.0	2032	80.0	11	14	400	880	3.3	48	76	A6 / 30 kmph	A6 / 20 mph
5.50-16	SW-201	6	4.0	TT	150	5.9	710	27.9	330	13.0	2083	82.0	13	10 16	425	935	3.6	52	86	A8 / 40 kmph	A8 / 25 mph
6.00-16	SW-201	8	4.5	TT	165	6.5	745	29.3	356	14.0	2184	86.0	13	16	670	1474	4.4	64	94	A8 / 40 kmph	A8 / 25 mph
6.50-16	SW-201	8	4.5	TT	175	6.8	760	29.9	356	14.0	2286	90.0	13	16	750	1650	3.3	48	98	A6/30 kmph	A6/20 mph
7.50-16	SW-201	8	5.5	TT	205	8.0	808	31.8	381	15.0	2413	95.0	11	14	875	1925	3.7	54	103	A6/30 kmph	A6/20 mph
7.50-16	SW-201	12	5.5	TT	205	8.0	808	31.8	381	15.0	2413	95.0	16	20	1360	2990	4.1	60	119	A6/30 kmph	A6/20 mph
6.00-18	SW-201	8	4.5	TT	165	6.5	795	31.3	457	18.0	2340	92.1	12	15	710	1562	3.2	47	96	A8 / 40 kmph	A8 / 25 mph
7.50-18	SW-201	8	5.5	TT	203	8.0	869	34.2	406	16.0	2565	101.0	15	19	950	2090	3.7	54	106	A8 / 40 kmph	A8 / 25 mph
6.00-19	SW-201	8	4.5	TT	165	6.5	814	32.0	381	15.0	2413	95.0	13	16	925	2035	4.2	60	105	A8 / 40 kmph	A8 / 25 mph
6.50-20	SW-201	8	4.5	TT	173	6.8	864	34.0	406	16.0	2565	101.0	18	22	850	1870	4.6	65	102	A6 / 30 kmph	A6 / 20 mph
7.50-20	SW-201	8	5.5	TT	203	8.0	920	36.2	432	17.0	2718	107.0	20	25	1030	2266	3.5	50	109	A8 / 40 kmph	AB / 25 mph
7.50-20	SW-201	12	5.5	TT	203	8.0	920	36.2	432	17.0	2718	107.0	20	25	1320	2900	4.0	58	118	A6 / 30 kmph	A6 / 20 mph

Алматы (7273)495-231
Ангарск (3955)42-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-42
Белгород (4735)40-23-142
Благовещенск (4162)35-142-07
Брянск (4232)59-03-52
Владивосток (423)249-42-31
Владикавказ (8672)42-90-42
Владимир (4935) 49-43-18
Волгоград (844)278-03-42
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-142

Ижевск (3412)26-03-58
Иваново (4932)77-34-06
Иркутск (395)279-98-46
Казань (843)206-01-42
Калининград (4012)72-03-81
Калуга (4242)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-42
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (4352)50-90-47
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (4219)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-142-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)357-86-73
Ноябрьск (3496)41-32-12
Омск (3812)21-46-40
Орел (4262)44-53-42
Оренбург (4232)37-68-04
Пенза (8412)35-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-142
Самара (846)206-03-16
Саранск (8342)35-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)35-31-93
Симферополь (3652)67-13-56
Смоленск (4212)29-41-42
Сочи (862)242-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)42-95-17
Сургут (3462)77-98-42
Тамбов (4752)50-40-97

Казахстан (772)734-952-31

Тверь (4352)63-31-42
Тольятти (8435)63-91-07
Томск (3835)98-41-53
Тула (4272)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8435)24-23-59
Уфа (347)359-42-12
Хабаровск (4212)92-98-04
Чебоксары (8435)42-53-07
Челябинск (421)202-03-61
Череповец (8202)49-02-142
Чита (3035)38-34-83
Якутск (4112)23-90-97
Ярославль (4422)69-52-93

<https://swt.nt-rt.ru> || saz@nt-rt.ru