

Алматы (7273)495-231
Ангарск (3955)42-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-42
Белгород (4735)40-23-142
Благовещенск (4162)35-142-07
Брянск (4232)59-03-52
Владивосток (423)249-42-31
Владикавказ (8672)42-90-42
Владимир (4935) 49-43-18
Волгоград (844)278-03-42
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-142

Ижевск (3412)26-03-58
Иваново (4932)77-34-06
Иркутск (395)279-98-46
Казань (843)206-01-42
Калининград (4012)72-03-81
Калуга (4242)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-42
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (4352)50-90-47
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (4219)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-142-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)357-86-73
Ноябрьск (3496)41-32-12
Омск (3812)21-46-40
Орел (4262)44-53-42
Оренбург (4232)37-68-04
Пенза (8412)35-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-142
Самара (846)206-03-16
Саранск (8342)35-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)35-31-93
Симферополь (3652)67-13-56
Смоленск (4212)29-41-42
Сочи (862)242-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)42-95-17
Сургут (3462)77-98-42
Тамбов (4752)50-40-97

Казахстан (772)734-952-31

Тверь (4352)63-31-42
Тольятти (8435)63-91-07
Томск (3835)98-41-53
Тула (4272)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8435)24-23-59
Уфа (347)359-42-12
Хабаровск (4212)92-98-04
Чебоксары (8435)42-53-07
Челябинск (421)202-03-61
Череповец (8202)49-02-142
Чита (3035)38-34-83
Якутск (4112)23-90-97
Ярославль (4422)69-52-93

<https://swt.nt-rt.ru> || saz@nt-rt.ru

Шины для сельскохозяйственной техники РК-303/305/307.

Технические характеристики

PK-303

Low section implement tyres offering high load capacity with minimum soil compaction. Ideal tyres for modern farming, suitable for both on and off-the road applications. Ideally designed for implement and trailers. Special tread compound ensures extended product life-cycle. Specially developed for soil tillage and transport applications. Provides maximum handling comfort. Ideal for modern farming, offering high load capacity. Minimum soil compaction. Ideal for modern and suitable for on and off the road application. Low section implement tyre. Ideal for trenchers and implement machinery. Large contact area provides high traction.

Displaying data for Pattern :- PK-303

Size	Pattern	Rim Width		Type	Section Width		Overall Diameter		Static Loaded Radius		Rolling Circum		NSD		Load Capacity				Inflation Pressure		Load Index	Speed			
		REC	ALT		mm	inch	mm	inch	mm	inch	mm	inch	mm	32nds	40kmph / 25 mph MAX LOAD		65kmph / 40 mph MAX LOAD		bar	psi		kmph	mph		
															Kg	Lbs	Kg	Lbs							
7.00-12	PK-303	4.25		TL	185	7.3	665	26.2	305	12.0	1956	77.0	8	10	825	1815			3.7	53	101	A8/40 kmph	A8/25 mph		
7.00-12	PK-303	4.25		TL	185	7.3	665	26.2	305	12.0	1956	77.0	8	10	925	2035			4.1	58	105	A8/40 kmph	A8/25 mph		
10.0 / 80-12	PK-303	9.0		TL	264	10.4	710	28.0	305	12.0	2083	82.0	11	14	1250	2750			4.2	60	116	A8/40 kmph	A8/25 mph		
10.0 / 80-12	PK-303	9.0		TL	264	10.4	710	28.0	305	12.0	2083	82.0	11	14	1450	3200			5.4	78	121	A8/40 kmph	A8/25 mph		
10.0 / 75-15.3	PK-303	9.0		TL	264	10.4	710	28.0	305	12.0	2083	82.0	9	11	1550	3410			5.2	75	123	A8/40 kmph	A8/25 mph		
10.0 / 75-15.3	PK-303	9.0		TL	264	10.4	710	28.0	305	12.0	2083	82.0	9	11	1700	3750			6.4	93	126	A8/40 kmph	A8/25 mph		
10.0 / 75-15.3	PK-303	9.0		TL	264	10.4	760	29.9	356	14.0	2235	88.0	9	11	1900	4180			6.9	101	130	A8/40 kmph	A8/25 mph		
10.0 / 75-15.3	PK-303	9.0		TL	264	10.4	710	28.0	305	12.0	2083	82.0	9	11	2360	5200			7.1	103	18	A8/40 kmph	A8/25 mph		
10.0 / 75-15.3	PK-303	9.0		TL	264	10.4	710	28.0	305	12.0	2083	82.0	9	11	2750	6050			7.5	108	144	A8/40 kmph	A8/25 mph		
11.5 / 80-15.3	PK-303	9.0		TL	290	11.4	845	33.2	381	15.0	2464	97.0	11	14	1950	4290			4.5	65	131	A8/40 kmph	A8/25 mph		
11.5 / 80-15.3	PK-303	9.0		TL	290	11.4	845	33.2	381	15.0	2464	97.0	11	14	2180	4800			5.5	80	135	A8/40 kmph	A8/25 mph		
11.5 / 80-15.3	PK-303	9.0		TL	290	11.4	845	33.2	381	15.0	2464	97.0	11	14	2430	5346			6.5	94	139	A8/40 kmph	A8/25 mph		
11.5 / 80-15.3	PK-303	9.0		TL	290	11.4	845	33.2	381	15.0	2464	97.0	11	14	2575	5675			7.1	103	141	A8/40 kmph	A8/25 mph		
11.5 / 80-15.3	PK-303	9.0		TL	290	11.4	845	33.2	381	15.0	2464	97.0	11	14	2725	5995			7.2	105	143	A8/40 kmph	A8/25 mph		
11.5 / 80-15.3	PK-303	9.0		TL	290	11.4	845	33.2	381	15.0	2464	97.0	11	14	2900	6380			7.6	110	145	A8/40 kmph	A8/25 mph		

12.5 / 80-15.3	PK-303	9.0		TL	315	12.4	890	35.0	381	15.0	2591	102.0	12	15	2650	5825			5.8	84	142	A8/40 kmph	A8/25 mph
12.5 / 80-15.3	PK-303	9.0		TL	315	12.4	890	35.0	381	15.0	2591	102.0	12	15	2725	5995			6.5	92	144	A8/40 kmph	A8/25 mph
12.5 / 80-15.3	PK-303	9.0		TL	315	12.4	890	35.0	381	15.0	2591	102.0	12	15	2900	6380			6.3	89	151	A8/40 kmph	A8/25 mph
280 / 60-15.5	PK-303	9.0		TL	280	11.0	730	28.7	381	15.0	2565	101.0	9	11	1800	3960			4.0	57	128	A8/40 kmph	A8/25 mph
10.5/65-16	PK-303	9.0		TL	280	11.0	730	28.7	381	15.0	2565	101.0	9	11	1550	3410			5.3	75	123	A8/40 kmph	A8/25 mph
10.5/65-16	PK-303	9.0		TL	274	10.8	755	29.7	356	14.0	2210	87.0	9	11	1900	4180			7.1	104	130	A8/40 kmph	A8/25 mph
280 / 70-16	PK-303	9.0		TL	280	11.0	780	30.7	363	14.3	2250	88.6	9	11	1250	2750			2.4	34	116	A8/40 kmph	A8/25 mph
13.0 / 55-16	PK-303	11.0		TL	336	13.2	770	30.3	356	14.0	2261	89.0	12	15	1850	4070			4.1	60	129	A8/40 kmph	A8/25 mph
13.0 / 55-16	PK-303	11.0		TL	336	13.2	770	30.3	356	14.0	2261	89.0	12	15	2240	4928			5.8	84	136	A8/40 kmph	A8/25 mph
13.0/70-16	PK-303	11.0		TL	336	13.2	770	30.3	356	14.0	2261	89.0	12	15	2060	4540			4.8	69	133	A8/40 kmph	A8/25 mph
13.0/70-16	PK-303	11.0		TL	336	13.2	770	30.3	356	14.0	2261	89.0	12	15	2240	4928			5.7	82	136	A8/40 kmph	A8/25 mph
13.0 / 75-16	PK-303	11.0		TL	340	13.4	900	35.4	406	16.0	2718	107.0	10	12	2360	5200			4.1	59	138	A8/40 kmph	A8/25 mph
13.0 / 75-16	PK-303	11.0		TL	340	13.4	900	35.4	406	16.0	2718	107.0	10	12	2841	6283			5.7	82	144	A8/40 kmph	A8/25 mph

Size	Pattern	Rim Width		Type	Section Width		Overall Diameter		Static Loaded Radius		Rolling Circum		NSD		Load Capacity				Inflation Pressure		Load Index	Speed	
		REC	ALT		mm	inch	mm	inch	mm	inch	mm	inch	mm	32nds	40kmph / 25 mph		65kmph / 40 mph		bar	psi		kmph	mph
															MAX LOAD		MAX LOAD						
															Kg	Lbs	Kg	Lbs					
14.0 / 65-16	PK-303	11.0		TL	353	13.9	871	34.3	381	15.0	2540	100.0	11	14	2900	6380			5.5	80	145	A8/40 kmph	A8/25 mph
10.5 / 80-18	PK-303	9.0		TL	275	10.8	885	35.0	406	16.0	2591	102.0	11	14	1950	4290			3.8	55	131	A8/40 kmph	A8/25 mph
12.5 / 80-18	PK-303	9.0		TL	308	12.1	965	38.0	432	17.0	2819	111.0	13	16	2650	5830			4.8	70	142	A8/40 kmph	A8/25 mph
12.5 / 80-18	PK-303	9.0		TL	308	12.1	965	38.0	432	17.0	2819	111.0	13	16	3350	7370			5.5	80	150	A8/40 kmph	A8/25 mph
13.0/65-18	PK-303	11.0		TL	336	13.2	890	35.0	406	16.0	2616	103.0	11	14	2800	6160			6.7	97	144	A8/40 kmph	A8/25 mph
13.0/65-18	PK-303	11.0		TL	336	13.2	890	35.0	406	16.0	2616	103.0	11	14	3650	8030			7.4	107	153	A8/40 kmph	A8/25 mph
340 / 70-18	PK-303	11.0		TL	342	13.5	902	35.5	410	16.1	2642	104.0	10	12	3650	8050			7.2	103	153	A8/40 kmph	A8/25 mph



PK-305

Low section implement tyres offering high load capacity with minimum soil compaction.Ideal tyres for modern farming, suitable for both on and off-the road applications.Ideally designed for implement and trailers.Special tread compound ensures extended product life-cycle.Specially developed for soil tillage and transport applications .Provides maximum handling comfort.Ideal for modern farming, offering high load capacity.Minimum soil compaction.Ideal for modern and suitable for on and off the road application.Low section implement tyre.Ideal for trenchers and implement machinery.Large contact area provides high traction.

Displaying data for Pattern :- PK-305

Size	Pattern	Rim Width		Type	Section Width		Overall Diameter		Static Loaded Radius		Rolling Circum		NSD		Load Capacity				Inflation Pressure		Load Index	Speed	
		REC	ALT		mm	inch	mm	inch	mm	inch	mm	inch	mm	32nds	40kmph / 25 mph		65kmph / 40 mph		bar	psi		kmph	mph
															MAX LOAD		MAX LOAD						
															Kg	Lbs	Kg	Lbs					
400 / 60-15.5	PK-305	13.0		TL	404	15.9	874	34.4	381	15.0	2565	101.0	11	14	2240	4928			3.5	51	136	A8/40 kmph	A8/25 mph
400 / 60-15.5	PK-305	13.0		TL	404	15.9	874	34.4	381	15.0	2565	101.0	11	14	2900	6380			3.4	50	145	A8/40 kmph	A8/25 mph
400 / 60-15.5	PK-305	13.0		TL	404	15.9	874	34.4	381	15.0	2565	101.0	11	14	3250	7150			4.4	64	149	A8/40 kmph	A8/25 mph
15.0 / 55-17	PK-305	13.0		TL	391	15.4	850	33.5	381	15.0	2489	98.0	10	12	2120	4664			3.6	51	134	A8/40 kmph	A8/25 mph
15.0 / 55-17	PK-305	13.0		TL	391	15.4	850	33.5	381	15.0	2489	98.0	10	12	2575	5675			4.9	71	141	A8/40 kmph	A8/25 mph
15.0 / 55-17	PK-305	13.0		TL	391	15.4	850	33.5	381	15.0	2489	98.0	10	12	3250	7165			6.48	94	149	A8/40 kmph	A8/25 mph



PK-307

Low section implement tyres offering high load capacity with minimum soil compaction. Ideal tyres for modern farming, suitable for both on and off-the road applications. Ideally designed for implement and trailers. Special tread compound ensures extended product life-cycle. Specially developed for soil tillage and transport applications. Provides maximum handling comfort. Ideal for modern farming, offering high load capacity. Minimum soil compaction. Ideal for modern and suitable for on and off the road application. Low section implement tyre. Ideal for trenchers and implement machinery. Large contact area provides high traction.

Displaying data for Pattern :- PK-307

Size	Pattern	Rim Width		Type	Section Width		Overall Diameter		Static Loaded Radius		Rolling Circum		NSD		Load Capacity				Inflation Pressure		Load Index	Speed	
		REC	ALT		mm	inch	mm	inch	mm	inch	mm	inch	mm	32nds	40kmph / 25 mph		65kmph / 40 mph		bar	psi		kmph	mph
															MAX LOAD		MAX LOAD						
															Kg	Lbs	Kg	Lbs					
19.0 / 45-17	PK-307	16.0		TL	491	19.3	870	34.3	381	15.0	2540	100.0	11	14	2800	6175		3.9	55	144	A8/40 kmph	A8/25 mph	
19.0 / 45-17	PK-307	16.0		TL	491	19.3	870	34.3	381	15.0	2540	100.0	11	14	3150	6930		4.3	62	148	A8/40 kmph	A8/25 mph	
500 / 50-17	PK-307	16.0		TL	503	19.8	945	37.2	381	15.0	2490	98.0	12	16	3550	7810		3.8	55	152	A8/40 kmph	A8/25 mph	
500 / 50-17	PK-307	16.0		TL	503	19.8	945	37.2	381	15.0	2490	98.0	12	16	4125	9075		4.8	68	157	A8/40 kmph	A8/25 mph	

Алматы (7273)495-231	Ижевск (3412)26-03-58	Магнитогорск (4219)55-03-13	Пермь (342)205-81-47	Тверь (4352)63-31-42
Ангарск (3955)42-70-56	Иваново (4932)77-34-06	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольяти (8435)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-142-93	Рязань (4912)46-61-142	Томск (3835)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-42	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4272)33-79-87
Барнаул (3852)73-04-42	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)35-96-24	Тюмень (3452)66-21-18
Белгород (4735)40-23-142	Калуга (4242)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Улан-Удэ (3012)59-97-51
Благовещенск (4162)35-142-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Ульяновск (8435)24-23-59
Брянск (4232)59-03-52	Киров (8332)68-02-04	Новосибирск (383)357-86-73	Севастополь (8692)35-31-93	Уфа (347)359-42-12
Владивосток (423)249-42-31	Колומна (4966)23-41-49	Ноябрьск (3496)41-32-12	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)42-90-42	Кострома (4942)77-07-42	Омск (3812)21-46-40	Смоленск (4212)29-41-42	Чебоксары (8435)42-53-07
Владимир (4935) 49-43-18	Краснодар (861)203-40-90	Орел (4262)44-53-42	Сочи (862)242-72-31	Челябинск (421)202-03-61
Волгоград (844)278-03-42	Красноярск (391)204-63-61	Оренбург (4232)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-142
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пенза (8412)35-31-16	Сыктывкар (8212)42-95-17	Чита (3035)38-34-83
Воронеж (473)204-51-73	Курган (4352)50-90-47	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-42	Якутск (4112)23-90-97
Екатеринбург (343)384-55-142	Липецк (4742)52-20-81	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4422)69-52-93
	Киргизия (996)312-96-26-47	Россия (495)268-04-70	Казахстан (772)734-952-31	