

Алматы (7273)495-231	Ижевск (3412)26-03-58	Магнитогорск (4219)55-03-13	Пермь (342)205-81-47	Тверь (4352)63-31-42
Ангарск (3955)42-70-56	Иваново (4932)77-34-06	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольяти (8435)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-142-93	Рязань (4912)46-61-142	Томск (3835)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-42	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4272)33-79-87
Барнаул (3852)73-04-42	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)35-96-24	Тюмень (3452)66-21-18
Белгород (4735)40-23-142	Калуга (4242)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Улан-Удэ (3012)59-97-51
Благовещенск (4162)35-142-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Ульяновск (8435)24-23-59
Брянск (4232)59-03-52	Киров (8332)68-02-04	Новосибирск (383)357-86-73	Севастополь (8692)35-31-93	Уфа (347)359-42-12
Владивосток (423)249-42-31	Коломна (4966)23-41-49	Ноябрьск (3496)41-32-12	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)42-90-42	Кострома (4942)77-07-42	Омск (3812)21-46-40	Смоленск (4212)29-41-42	Чебоксары (8435)42-53-07
Владимир (4935) 49-43-18	Краснодар (861)203-40-90	Орел (4262)44-53-42	Сочи (862)242-72-31	Челябинск (421)202-03-61
Волгоград (844)278-03-42	Красноярск (391)204-63-61	Оренбург (4232)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-142
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пенза (8412)35-31-16	Сыктывкар (8212)42-95-17	Чита (3035)38-34-83
Воронеж (473)204-51-73	Курган (4352)50-90-47	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-42	Якутск (4112)23-90-97
Екатеринбург (343)384-55-142	Липецк (4742)52-20-81	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4422)69-52-93
	Киргизия (996)312-96-26-47	Россия (495)268-04-70	Казахстан (772)734-952-31	

<https://swt.nt-rt.ru>
||
saz@nt-rt.ru

Задние шины диагонального трактора

GRIPKING HD, GRIPKING.

Технические характеристики



GRIPKING HD

Deep tread and excellent tread wear and durability.Designed to deliver power to the ground.Design offers maximum cleaning and sidewall slip resistance.Unique lug design ensures excellent traction in both dry and wet soil conditions.Specially designed profile for better stability.Specially designed for better traction, self cleaning and stability.

Ideally suitable in all operating conditions.Ensures improved traction in all working conditions.Cut and chip resistant tread compound.Multi angled lugs for better traction and self cleaning.Cut resistant tread compound for longer type life.Broader lug design and strong casing.Better soil penetration and self cleaning.Deeper tread suitable for soil tillage operations.Excellent self cleaning properties.

Displaying data for Pattern :- GRIPKING HD

Size	Pattern	Ply Rating	Rim Width	Type	Section Width		Overall Diameter		Static Loaded Radius		Rolling Circum		NSD		Load Capacity		Inflation Pressure		Load Index	Speed	
			inch		mm	inch	mm	inch	mm	inch	mm	inch	mm	32nds	Kg	Lbs	bar	psi		kmph	mph
15.5 / 80-24	GRIPKING HD	12	13.0	TL	394	15.5	1260	49.6	584	23.0	3708	146.0	40	50	2900	6380	3.0	43	145	A6 / 30 kmph	A6 / 20 mph
15.5 / 80-24	GRIPKING HD	16	13.0	TL	394	15.5	1260	49.6	584	23.0	3708	146.0	40	50	3450	7590	4.1	58	151	A6 / 30 kmph	A6 / 20 mph



GRIPKING

Deep tread and excellent tread wear and durability. Designed to deliver power to the ground. Design offers maximum cleaning and sidewall slip resistance. Unique lug design ensures excellent traction in both dry and wet soil conditions. Specially designed profile for better stability. Specially designed for better traction, self cleaning and stability. Ideally suitable in all operating conditions. Ensures improved traction in all working conditions. Cut and chip resistant tread compound. Multi angled lugs for better traction and self cleaning. Cut resistant tread compound for longer type life. Broader lug design and strong casing. Better soil penetration and self cleaning. Deeper tread suitable for soil tillage operations. Excellent self cleaning properties.

Displaying data for Pattern :- GRIPKING

Size	Pattern	Ply Rating	Rim Width	Type	Section Width		Overall Diameter		Static Loaded Radius		Rolling Circum		NSD		Load Capacity		Inflation Pressure		Load Index	Speed	
			inch		mm	inch	mm	inch	mm	inch	mm	inch	mm	32nds	Kg	Lbs	bar	psi		kmph	mph
8.00-20	GRIPKING	8	7.0	TT	229	9.0	965	38.0	457	18.0	2845	112.0	27	34	920	2024	2.1	30	105	A6 / 30 kmph	A6 / 20 mph
8.3-20	GRIPKING	8	7.0	TT	211	8.3	900	35.4	406	16.0	2704	106.5	22	27	822	1808	2.4	35	101	A6 / 30 kmph	A6 / 20 mph
9.5-20	GRIPKING	8	7.0	TT	241	9.5	955	37.6	432	17.0	2942	115.8	27	34	975	2145	2.8	41	107	A6 / 30 kmph	A6 / 20 mph
11.2-20	GRIPKING	8	10.0	TT	284	11.2	998	39.7	483	19.0	2997	118.0	33	41	1090	2398	2.4	35	111	A6 / 30 kmph	A6 / 20 mph
8.3-22	GRIPKING	6	7.0	TT	211	8.3	950	37.4	457	18.0	2972	117.0	24	30	825	1815	2.8	41	100	A6 / 30 kmph	A6 / 20 mph
8.3-22	GRIPKING	8	7.0	TT	241	9.5	991	39.3	457	18.0	2972	117.0	24	30	900	1980	3.1	45	104	A6 / 30 kmph	A6 / 20 mph
9.5-22	GRIPKING	6	7.0	TT	241	9.5	991	39.3	457	18.0	2972	117.0	24	30	900	1980	2.2	32	104	A6 / 30 kmph	A6 / 20 mph
9.5-22	GRIPKING	8	7.0	TT	241	9.5	991	39.3	457	18.0	2972	117.0	24	30	1060	2335	2.9	42	110	A6 / 30 kmph	A6 / 20 mph
8.3-24	GRIPKING	6	7.0	TT	211	8.3	993	39.1	457	18.0	2921	115.0	26	32	800	1760	3.1	45	105	A6 / 30 kmph	A6 / 20 mph
8.3-24	GRIPKING	8	7.0	TT	211	8.3	993	39.1	457	18.0	2921	115.0	26	32	925	2035	3.1	45	105	A6 / 30 kmph	A6 / 20 mph
9.5-24	GRIPKING	8	7.0	TT	241	9.5	1050	41.3	483	19.0	3099	122.0	26	32	1120	2464	2.9	41	112	A6 / 30 kmph	A6 / 20 mph
11.2-24	GRIPKING	8	10.0	TT	284	11.2	1105	43.5	508	20.0	3251	128.0	31	39	1250	2750	2.4	35	116	A6 / 30 kmph	A6 / 20 mph
11.2-24	GRIPKING	12	10.0	TT	284	11.2	1105	43.5	508	20.0	3251	128.0	31	39	1360	3000	2.7	40	119	A6 / 30 kmph	A6 / 20 mph
12.4-24	GRIPKING	8	11.0	TT	315	12.4	1170	46.0	533	21.0	3404	134.0	28	35	1450	3190	2.3	33	121	A6 / 30 kmph	A6 / 20 mph
12.4-24	GRIPKING	12	11.0	TT	315	12.4	1170	46.0	533	21.0	3404	134.0	29	36	1800	3960	3.6	51	128	A6 / 30 kmph	A6 / 20 mph
13.6-24	GRIPKING	8	12.0	TT	345	13.5	1210	47.6	559	22.0	3556	140.0	30	38	1550	3410	1.9	28	123	A6 / 30 kmph	A6 / 20 mph
13.6-24	GRIPKING	12	12.0	TT	345	13.5	1210	47.6	559	22.0	3556	140.0	30	38	1900	4180	2.8	41	130	A6 / 30 kmph	A6 / 20 mph
14.9-24	GRIPKING	8	13.0	TT	378	14.9	1265	49.8	584	22.0	3556	140.0	30	40	1800	3960	1.8	26	128	A6 / 30 kmph	A6 / 20 mph
14.9-24	GRIPKING	12	13.0	TT	378	14.9	1265	49.8	584	23.0	3708	146.0	32	40	2180	4795	2.55	37	135	A6 / 30 kmph	A6 / 20 mph
21.3-24	GRIPKING	12	18.0	TT / TL	540	21.3	1400	55.1	644	25.3	4221	166.1	43	54	3860	8492	2.2	32	155	A6 / 30 kmph	A6 / 20 mph
21.3-24	GRIPKING	16	18.0	TT / TL	540	21.3	1400	55.1	644	25.3	4221	166.1	43	54	4500	9900	2.8	40	160	A6 / 30 kmph	A6 / 20 mph
13.6-26	GRIPKING	8	12.0	TT	345	13.6	1260	49.6	584	23.0	3708	146.0	31	39	1700	3740	2.1	31	126	A6 / 30 kmph	A6 / 20 mph
14.9-26	GRIPKING	8	13.0	TT	378	14.9	1315	51.7	610	24.0	3861	152.0	31	39	1850	4070	1.8	26	129	A6 / 30 kmph	A6 / 20 mph
14.9-26	GRIPKING	12	13.0	TT	378	14.9	1315	51.7	610	24.0	3861	152.0	31	39	2240	4928	2.6	38	136	A6 / 30 kmph	A6 / 20 mph
23.1-26	GRIPKING	12	20.0	TT / TL	587	23.1	1585	62.4	720	28.3	4806	189.2	43	54	3650	8030	1.7	25	153	A6 / 30 kmph	A6 / 20 mph
23.1-26	GRIPKING	16	20.0	TT / TL	587	23.1	1585	62.4	720	28.3	4806	189.2	43	54	4375	9625	2.3	33	159	A6 / 30 kmph	A6 / 20 mph
23.1-26	GRIPKING	18	20.0	TT / TL	587	23.1	1585	62.4	720	28.3	4806	189.2	43	54	4625	10175	2.6	37	161	A6 / 30 kmph	A6 / 20 mph
11.2-28	GRIPKING	8	10.0	TT	284	11.2	1205	47.4	559	22.0	3531	139.0	33	41	1320	2904	2.4	34	118	A6 / 30 kmph	A6 / 20 mph
11.2-28	GRIPKING	12	10.0	TT	284	11.2	1205	47.4	559	22.0	3531	139.0	33	41	1450	3190	2.4	36	121	A6 / 30ph	A6 / 20 mph

Size	Pattern	Ply Rating	Rim Width	Type	Section Width		Overall Diameter		Static Loaded Radius		Rolling Circum		NSD		Load Capacity		Inflation Pressure		Load Index	Speed	
			inch		mm	inch	mm	inch	mm	inch	mm	inch	mm	32nds	Kg	Lbs	bar	psi		kmph	mph
12.4-28	GRIPKING	8	13.0	TT	378	14.9	1265	49.8	584	23.0	3708	146.0	35	44	1550	3410	2.3	33	123	A6 / 30 kmph	A6 / 20 mph
12.4-28	GRIPKING	12	10.0	TT	378	14.9	1265	49.8	584	23.0	3708	146.0	35	44	1950	4290	3.4	50	131	A6 / 30 kmph	A6 / 20 mph
13.6-28	GRIPKING	8	12.0	TT	378	14.9	1320	52.0	584	23.0	3861	152.0	37	46	1650	3630	2	29	125	A6 / 30 kmph	A6 / 20 mph
13.6-28	GRIPKING	12	12.0	TT	378	14.9	1320	52.0	584	23.0	3861	152.0	37	46	1950	4290	3.4	50	131	A6 / 30 kmph	A6 / 20 mph
14.9-28	GRIPKING	8	13.0	TT	378	14.9	1365	53.7	635	25.0	4013	158.0	33	41	1900	4180	1.8	26	130	A6 / 30 kmph	A6 / 20 mph
14.9-28	GRIPKING	12	13.0	TT	378	14.9	1365	53.7	635	25.0	4013	158.0	33	41	2300	5070	2.6	38	137	A6 / 30 kmph	A6 / 20 mph
16.9-28	GRIPKING	8	15.0	TT	429	16.9	1435	56.5	660	26.0	4216	166.0	36	45	2180	4796	1.8	25	135	A6 / 30 kmph	A6 / 20 mph
16.9-28	GRIPKING	12	15.0	TT	429	16.9	1435	56.5	660	26.0	4216	166.0	36	47	2725	5995	2.4	35	143	A6 / 30 kmph	A6 / 20 mph
16.9-28	GRIPKING	8	15.0	TT	429	16.9	1435	56.5	660	26.0	4216	166.0	36	47	2300	5060	1.8	26	137	A6 / 30 kmph	A6 / 20 mph
16.9-30	GRIPKING	12	15.0	TT	429	16.9	1486	58.5	686	27.0	4369	172.0	40	50	2725	5995	2.5	36	143	A6 / 30 kmph	A6 / 20 mph
16.9-30	GRIPKING	14	15.0	TT	429	16.9	1486	58.5	686	27.0	4369	172.0	40	50	3000	6600	2.75	40	139	A6 / 30 kmph	A6 / 20 mph
18.4-30	GRIPKING	8	16.0	TT	467	18.4	1560	61.4	711	28.0	4547	179.0	36	45	2430	5345	1.4	20	139	A6 / 30 kmph	A6 / 20 mph
18.4-30	GRIPKING	10	16.0	TT	467	18.4	1560	61.4	711	28.0	4547	179.0	36	45	2900	6380	1.6	23	139	A6 / 30 kmph	A6 / 20 mph
18.4-30	GRIPKING	14	16.0	TT	467	18.4	1560	61.4	711	28.0	4547	179.0	36	45	3450	7590	2.7	39	145	A6 / 30 kmph	A6 / 20 mph
12.4-32	GRIPKING	8	11.0	TT	325	12.8	1359	53.5	635	25.0	3988	157.0	30	38	1600	3520	2.3	33	124	A6 / 30 kmph	A6 / 20 mph
12.4-32	GRIPKING	12	11.0	TT	325	12.8	1359	53.5	635	25.0	3988	157.0	30	38	1900	4180	3	44	130	A6 / 30 kmph	A6 / 20 mph
16.9-34	GRIPKING	8	15.0	TT	430	16.9	1590	62.6	737	29.0	4648	183.0	44	55	2430	5346	1.7	25	139	A6 / 30 kmph	A6 / 20 mph
16.9-34	GRIPKING	14	15.0	TT	430	16.9	1590	62.6	737	29.0	4648	183.0	44	55	3000	6600	2.6	37	146	A6 / 30 kmph	A6 / 20 mph
18.4-34	GRIPKING	8	16.0	TT	467	18.4	1660	65.3	762	30.0	4851	191.0	39	48	2650	5830	1.4	20	142	A6 / 30 kmph	A6 / 20 mph
18.4-34	GRIPKING	12	16.0	TT	467	18.4	1660	65.3	762	30.0	4851	191.0	39	48	3000	6600	2.2	32	146	A6 / 30 kmph	A6 / 20 mph
18.4-34	GRIPKING	14	16.0	TT	467	18.4	1660	65.3	762	30.0	4851	191.0	39	48	3000	6600	2.8	40	154	A6 / 30 kmph	A6 / 20 mph
20.8-34	GRIPKING	14	18.0	TT	528	20.8	1760	69.2	790	31.1	5156	203.0	35	44	3750	8250	1.4	20	149	A6 / 30 kmph	A6 / 20 mph
20.8-34	GRIPKING	18	18.0	TT	528	20.8	1760	69.2	790	31.1	5156	203.0	35	44	3650	8030	1.8	26	153	A6 / 30 kmph	A6 / 20 mph
13.6-36	GRIPKING	8	12.0	TT	345	13.6	1520	59.5	717	28.2	4647	183.0	34	42	1850	4070	2	29	129	A6 / 30 kmph	A6 / 20 mph
13.6-36	GRIPKING	10	12.0	TT	345	13.6	1520	59.5	717	28.2	4647	183.0	34	42	2060	4530	2.2	32	133	A6 / 30 kmph	A6 / 20 mph
13.6-36	GRIPKING	12	12.0	TT	345	13.6	1520	59.5	717	28.2	4647	183.0	34	42	2300	5060	2.5	36	137	A6 / 30 kmph	A6 / 20 mph
12.4-38	GRIPKING	8	11.0	TT	315	12.4	1511	59.5	716	28.2	4496	177.0	34	42	1750	3850	2.3	33	127	A6 / 30 kmph	A6 / 20 mph
12.4-38	GRIPKING	12	11.0	TT	315	12.4	1511	59.5	716	28.2	4496	177.0	34	42	2120	4664	2.8	40	134	A6 / 30 kmph	A6 / 20 mph
13.6-38	GRIPKING	8	12.0	TT	345	13.6	1565	61.6	737	29.0	4597	181.0	37	46	1950	4290	2	28	131	A6 / 30 kmph	A6 / 20 mph
13.6-38	GRIPKING	12	12.0	TT	345	13.6	1565	61.6	737	29.0	4597	181.0	37	46	2430	5360	3	44	139	A6 / 30 kmph	A6 / 20 mph
14.00-38	GRIPKING	8	12.0	TT	355	14.0	1570	61.8	737	29.0	4597	181.0	39	49	1950	4290	2	28	131	A6 / 30 kmph	A6 / 20 mph
14.00-38	GRIPKING	12	12.0	TT	355	14.0	1570	61.8	737	29.0	4597	181.0	39	49	2430	5346	2.9	41	139	A6 / 30 kmph	A6 / 20 mph
14.9-38	GRIPKING	8	13.0	TT	378	15.0	1685	66.3	737	29.0	4597	181.0	41	51	2120	4664	2.4	35	134	A6 / 30 kmph	A6 / 20 mph
14.9-38	GRIPKING	12	13.0	TT	378	15.0	1685	66.3	737	29.0	4597	181.0	41	51	2575	5665	3	43	141	A6 / 30 kmph	A6 / 20 mph
15.5-38	GRIPKING	8	14.0	TT	395	15.5	1585	62.4	737	29.0	4648	183.0	41	51	2060	4532	1.8	26	133	A6 / 30 kmph	A6 / 20 mph
15.5-38	GRIPKING	12	14.0	TT	395	15.5	1585	62.4	737	29.0	4648	183.0	41	51	2550	5610	3	43	141	A6 / 30 kmph	A6 / 20 mph
16.9-38	GRIPKING	8	15.0	TT	429	16.9	1685	66.3	787	31.0	4953	195.0	35	44	2575	5665	1.8	26	141	A6 / 30 kmph	A6 / 20 mph
16.9-38	GRIPKING	14	15.0	TT	429	16.9	1685	66.3	787	31.0	4953	195.0	35	44	3450	7590	2.3	33	151	A6 / 30 kmph	A6 / 20 mph
18.4-38	GRIPKING	8	16.0	TT	467	18.4	1770	69.6	813	32.0	5156	203.0	39	49	2725	5995	1.4	20	143	A6 / 30 kmph	A6 / 20 mph
18.4-38	GRIPKING	14	16.0	TT	467	18.4	1770	69.6	813	32.0	5156	203.0	39	49	3650	8030	2.3	33	153	A6 / 30 kmph	A6 / 20 mph
20.8-38	GRIPKING	8	18.0	TT	528	20.8	1840	72.4	864	34.0	5385	212.0	41	51	3150	6930	1.3	19	148	A6 / 30 kmph	A6 / 20 mph
20.8-38	GRIPKING	12	18.0	TT	528	20.8	1840	72.4	864	34.0	5385	212.0	41	51	4000	8800	2	29	156	A6 / 30 kmph	A6 / 20 mph
20.8-38	GRIPKING	14	18.0	TT	528	20.8	1840	72.4	864	34.0	5385	212.0	41	51	4500	9900	2.5	36	160	A6 / 30 kmph	A6 / 20 mph
20.8-38	GRIPKING	28	18.0	TT	528	20.8	1840	72.4	864	34.0	5385	212.0	41	51	5800	12760	4.3	62	169	A6 / 30 kmph	A6 / 20 mph

Алматы (7273)495-231
Ангарск (3955)42-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-42
Белгород (4735)40-23-142
Благовещенск (4162)35-142-07
Брянск (4232)59-03-52
Владивосток (423)249-42-31
Владикавказ (8672)42-90-42
Владимир (4935) 49-43-18
Волгоград (844)278-03-42
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-142

Ижевск (3412)26-03-58
Иваново (4932)77-34-06
Иркутск (395)279-98-46
Казань (843)206-01-42
Калининград (4012)72-03-81
Калуга (4242)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-42
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (4352)50-90-47
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (4219)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-142-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)357-86-73
Ноябрьск (3496)41-32-12
Омск (3812)21-46-40
Орел (4262)44-53-42
Оренбург (4232)37-68-04
Пенза (8412)35-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-142
Самара (846)206-03-16
Саранск (8342)35-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)35-31-93
Симферополь (3652)67-13-56
Смоленск (4212)29-41-42
Сочи (862)242-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)42-95-17
Сургут (3462)77-98-42
Тамбов (4752)50-40-97

Казахстан (772)734-952-31

Тверь (4352)63-31-42
Тольятти (8435)63-91-07
Томск (3835)98-41-53
Тула (4272)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8435)24-23-59
Уфа (347)359-42-12
Хабаровск (4212)92-98-04
Чебоксары (8435)42-53-07
Челябинск (421)202-03-61
Череповец (8202)49-02-142
Чита (3035)38-34-83
Якутск (4112)23-90-97
Ярославль (4422)69-52-93